| | Hits | Search Text | DBs |
|----|------|---|-----------------|
| 1 | 7 | second adj boot adj device | US-PGPUB; USPAT |
| 2 | 57 | second near2 boot\$3 near2 device | US-PGPUB; USPAT |
| 3 | 47 | replac\$4 adj bios | US-PGPUB; USPAT |
| 4 | 65 | replac\$4 near bios | US-PGPUB; USPAT |
| 5 | 0 | (replac\$4 near bios) and (bios near failure) | US-PGPUB; USPAT |
| 6 | 12 | bios near failure | US-PGPUB; USPAT |
| 7 | 0 | (replac\$4 near bios) with defect\$4 | US-PGPUB; USPAT |
| 8 | 0 | (replac\$4 near bios) with fail\$4 | US-PGPUB; USPAT |
| 9 | 0 | (replac\$4 near bios) with inoperable | US-PGPUB; USPAT |
| 10 | 9 | second near2 boot\$3 near2 device | EPO; JPO |
| 11 | 2 | second adj boot adj device | EPO; JPO |
| 12 | 4 | bios with failure | EPO; JPO |
| 13 | 26 | second adj boot | EPO; JPO |
| 14 | 45 | replac\$3 with boot\$3 | EPO; JPO |
| 15 | 5 | replac\$3 with boot\$3 | IBM_TDB |
| 16 | 6 | second with boot\$3 | IBM_TDB |
| 17 | 2 | back\$1up with boot\$3 | IBM_TDB |
| 18 | 6878 | second adj power adj supply | US-PGPUB; USPAT |
| 19 | 24 | (second adj power adj supply) and raid | |
| 20 | 7 | (copy\$3 adj operating adj system) with back\$1up | US-PGPUB; USPAT |
| 21 | 14 | (copy\$3 adj operating adj system) with drive | US-PGPUB; USPAT |
| 22 | 13 | "6205527" | US-PGPUB; USPAT |
| 23 | 32 | raid with boot\$3 | US-PGPUB; USPAT |
| 24 | 38 | lun with boot\$3 | US-PGPUB; USPAT |
| 25 | 13 | mirror\$3 with (boot\$3 adj disk) | US-PGPUB; USPAT |
| 26 | 2 | mirror\$3 with (boot\$3 adj2 drive) | US-PGPUB; USPAT |
| 27 | 1678 | mirror\$3 with read\$3 with data | US-PGPUB; USPAT |
| 28 | 374 | mirror\$3 with read\$3 with data with (disk or drive) | US-PGPUB; USPAT |
| 29 | 97 | (disk of drive)) same first | US-PGPUB; USPAT |
| 30 | 16 | <pre>(mirror\$3 with read\$3 with data with (disk or drive) with request\$3) same first</pre> | US-PGPUB; USPAT |
| 31 | 306 | mirror\$3 with boot\$3 | US-PGPUB; USPAT |
| 32 | 26 | mirror\$3 with boot\$3 with (disk or drive) | US-PGPUB; USPAT |
| 33 | 33 | lun same (boot\$3 with (disk or drive)) | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 34 | 32 | led with indicat\$5 with (disk or drive) with fail\$3 | US-PGPUB; USPAT |
| 35 | 20 | (led with indicat\$5 with (disk or drive) with fail\$3) and (power with fail\$3) | US-PGPUB; USPAT |
| 36 | 36 | mirror\$3 with read\$3 with data with (disk or drive) | EPO; JPO |
| 37 | 1 | mirror\$3 with boot\$3 with (disk or drive) | EPO; JPO |
| 38 | 478 | <pre>(raid with (disk or drive)) same (boot\$3 or (operating adj system))</pre> | US-PGPUB; USPAT |
| 39 | 160 | <pre>(raid with (disk or drive)) with (boot\$3 or (operating adj system))</pre> | US-PGPUB; USPAT |
| 40 | 5 | <pre>(raid with (disk or drive)) with (boot\$3 and (operating adj system))</pre> | US-PGPUB; USPAT |
| 41 | 48 | <pre>((raid with (disk or drive)) with (boot\$3 or (operating adj system))) same fail\$3</pre> | US-PGPUB; USPAT |
| 42 | 4 | <pre>(raid with (disk or drive)) with (boot\$3) same fail\$3</pre> | US-PGPUB; USPAT |
| 43 | 0 | (raid adj "2") with (disk or drive) with (boot\$3) | US-PGPUB; USPAT |
| 44 | 25 | <pre>(raid with (disk or drive)) same (boot\$3 same fail\$3)</pre> | US-PGPUB; USPAT |
| 45 | 6 | <pre>(raid with (disk or drive)) same (boot\$3 same fail\$3) same (operating adj system)</pre> | US-PGPUB; USPAT |
| 46 | 41 | lun with boot\$3 | US-PGPUB; USPAT |
| 47 | 32 | redundant with drive with enclosure | US-PGPUB; USPAT |
| 48 | 0 | redundant with drive with enclosure | EPO; JPO |
| 49 | 0 | redundant with drive with enclosure | IBM_TDB |
| 50 | 8 | <pre>(raid adj2 "1") with (disk or drive) with (boot\$3)</pre> | US-PGPUB; USPAT |
| 51 | 33 | <pre>(raid) with (disk or drive) with (boot\$3)</pre> | US-PGPUB; USPAT |
| 52 | 853 | (raid) with (disk or drive) with (single) | US-PGPUB; USPAT |
| 53 | 92 | <pre>(raid) with (disk or drive) with (single) with (behav\$5 or appear\$3)</pre> | US-PGPUB; USPAT |
| 54 | 38 | <pre>(raid) with (single adj (disk or drive)) with (behav\$5 or appear\$3)</pre> | US-PGPUB; USPAT |
| 55 | 2 | (raid) with (disk or drive) with (boot\$3) | EPO; JPO |

| | Hits | Search Text | DBs |
|----|-------------|---|------------------------------|
| 56 | <u>o</u> | <pre>(raid) with (single adj (disk or drive)) with (behav\$5 or appear\$3)</pre> | EPO; JPO |
| 57 | 3 | ("6098119" "6529989" "6567911").PN. | USPAT |
| 58 | 0 | <pre>(boot\$3) with (single adj (disk or drive)) with (behav\$5 or appear\$3)</pre> | US-PGPUB; USPAT |
| 59 | 10 | <pre>(boot\$3) same ((single adj (disk or drive)) with (behav\$5 or appear\$3))</pre> | US-PGPUB; USPAT |
| 60 | 52 | (raid) with (boot\$3) | US-PGPUB; USPAT |
| 61 | 36 | <pre>(raid adj2 "1") with (disk or drive) with ((o\$1s) or (operating adj system) or dos)</pre> | US-PGPUB; USPAT |
| 62 | 19 | "5832222".URPN. | USPAT |
| 63 | 7 | "5832222".URPN. and boot\$3 | USPAT |
| 64 | 14 | "5832222".URPN. and (os or (operating adj system) or dos) | USPAT |
| 65 | 44 | <pre>(raid adj2 "1") and (boot\$3 with (disk or drive) with ((o\$1s) or (operating adj system) or dos))</pre> | US-PGPUB; USPAT |
| 66 | 44 | (raid adj2 "1") with ((o\$1s) or (operating adj system) or dos) | US-PGPUB; USPAT |
| 67 | 90 | <pre>(raid adj2 "1") same ((o\$1s) or (operating adj system) or dos)</pre> | US-PGPUB; USPAT |
| 68 | 1 | "6684282" | US-PGPUB; USPAT |
| 69 | 11 | "5905888" | US-PGPUB; USPAT |
| 70 | | | US-PGPUB; USPAT |
| 71 | ID 5 | back\$lup with boot\$3 with (operating adj system) | US-PGPUB; USPAT |
| 72 | 15 I | mirror\$3 with boot\$3 with (disk or drive) | US-PGPUB; USPAT; EPO; JPO |
| 73 | 20 | back\$1up with boot\$3 | EPO; JPO |
| 74 | 11 | back\$1up with boot\$3 with (operating adj system) | EPO; JPO |